

Boecker

YOUR WAY
— TO THE —
TOP
REALISE THE POTENTIAL



Agilo Furniture Lift

The Böcker Agilo furniture lift

The powerful combination of lift and vehicle

Agilo furniture lifts – the powerful combination of lift and vehicle. At the point of use, the elevator can be set up in a few minutes. The Agilo elevator series consists of 6 models, which provide a conveyance height of up to 55 metres and possible payloads of up to 400 kg. The elevators are driven by the powerful PTO auxiliary drive as standard. A Honda petrol engine or electric motor are optionally available. The high-quality aluminium rail profile ensures reliable stability and durability. Thanks to the pull-out extensions, the Agilo has an extremely comfortable and particularly back-friendly loading height. The especially quiet slide running treats the load with care and ensures less wear of the rail package.

Technical advantages

- ✓ Wide range of models from 26 m to 55 m maximum conveyance height
- ✓ With its 400 kg payload, it is ideally suited for all moving projects
- ✓ The drive is either by Honda-drive engines or PTO (vehicle dependent)
- ✓ Alternatively, it can be operated with an electric motor
- ✓ Conveying speeds of up to 60 m/min
- ✓ Rail package made of high strength special aluminium alloy
- ✓ The highly rigid hollow chamber profile of the rails ensures significant weight savings
- ✓ Hydraulic supports guarantee fast and secure set up of the Agilo furniture lift

The Böcker furniture platform

- ✓ Absolutely flat, large surface platform with enough room even for bulky removal goods
- ✓ The side walls of the platform can be folded 90° or 180° and are removable
- ✓ Rotating and extendable platforms (optional)
- ✓ Infinitely variable adjustment spindle (optional) for absolutely horizontal furniture transport
- ✓ Standard, pull-out lower extension for low loading



HL 26 mounted on a 3,5 t carrier



HL42 mounted on a 8,0 t carrier



1 Head wheels also moveable sideways (optional)

2 Vertically and horizontally adjustable guide rails – for absolutely quiet rail and slide running

3 Rails made of high strength aluminium alloy, torsion resistant hollow chamber profile

4 Optimum cable guide for minimum deflection of rail package also under load

5 Large, flat furniture platform with drop sides (90° / 180°); optional rotating and pull-out

6 Infinitely adjustable turntable

7 Made to measure combination of elevator and carrier vehicle

8 Lockable tool boxes (optional)

Mobile, powerful and cost effective




Control stand of hydraulic supports



Hydraulic supports mechanically extendable and 60° swivelling



Optional front hydraulic supports pull-out



Operation above at the head



Operation below via operating buttons with 4 m cable



Optional mode by remote control

Other advantages



Additional 230 volt electric motor (optional)



Infinitely adjustable turntable with mechanically releasable lock



Ground level loading possible by infinitely adjustable pull-out lower extension of the platform



Large and flat loading surface on the platform

Technical data

Model	HL 26 / 1-6 LH	HL 30 / 1-7 LH	HL 34 / 1-8 LH	HL 37 / 2-8 LH	HL 42 / 2-9 LH	HL 55 / 2-9 LH
Extension length [m]	26.20	30.20	33.60	36.90	41.90	54.90
Payload [kg]	400	400	400	400	400	400
Packet length [m]	5.36	5.41	5.57	6.81	7.37	9.70
Authorised total weight [t]	2.8 / 3.5	3.5	3.5	4.5	6.5	8.5
Driver license class	B	B	B	C1	C1	C1
Total length [m]*	5.60	5.60	5.60	6.80	7.50	9.75
Overall width [m]*	1.85	1.85	1.85	2.10	2.10	2.10
Headroom [m]*	2.83	2.83	2.85	3.20	3.30	3.90
Rail speed [m/min]	55	55	55	55	55	48
Authorised working angle [Degrees]	30 – 87	30 – 87	30 – 87	30 – 87	30 – 87	30 – 87

* Depends on national requirements and configuration of the carrier

Technical data might be subject to change.

Böcker – made in
 **GERMANY**



**DENSEST
SERVICE-NETWORK
IN EUROPE**

Böcker Belgium NV

Boomsesteenweg 101 · B-2630 Aartselaar
Fon +32 (0)3 4576241
Fax +32 (0)3 4576242
Mail info@boecker.be

Böcker France SAS

5, rue Maximilien Robespierre · F-93130 Noisy-le-Sec
Fon +33 (0)1 48406767
Fax +33 (0)1 48406768
Mail info@boecker.fr

Böcker Italia srl

Corso Porta Nuova 11 · I-37122 Verona (VR)
Fon +39 045 8780399
Fax +39 045 8780420
Mail info@boecker.it

Böcker Nederland B.V.

De Geerden 22 · NL-5334 LE Velddriel
Fon +31 (0)418 571444
Fax +31 (0)418 635222
Mail info@boecker.nl

Böcker Schweiz AG

Striegelstraße 1 · CH-4665 Oftringen
Fon +41 (0)62 7976262
Fax +41 (0)62 7976268
Mail info@boecker.ch

Böcker UK Ltd.

Unit B Grazebrook Park
Dudley, Hulbert Drive · West Midlands UK-DY2 0XW
Fon Fon +44 (0)77 20942491
Mail info@boecker.co.uk

Böcker

Böcker Maschinenwerke GmbH
Lippestr. 69–73 · DE-59368 Werne
Fon +49 (0)2389 79890
Fax +49 (0)2389 79899000
Mail info@boecker.de